

AICHE Journal Vol. 68 (2022), Vol. 69 (2023)

The effect of radial impeller geometry on the link between power and flow numbers, John, TP; Fonte, CP; Kowalski, A; Rodgers, TL, 68(1), e17405, (2022), DOI: 10.1002/aic.17405

Experimental study and numerical modeling of mixing by air injection in yield stress fluids using the OpenFOAM software, Hojeij, A; Jossic, L; Sechet, P; Bonamy, C; Magnin, A; Hattou, S, 68(2), e17442, (2022), DOI: 10.1002/aic.17442

Design and operation of an enhanced pervaporation device with static mixers, Zhang, HM; Ladosz, A; Jensen, KF, 68(2), e17455, (2022), DOI: 10.1002/aic.17455

Chaotic advection in a twin cam mixer under various operating conditions, He, Y; Zhan, XB; Shen, BJ; Sun, ZB; Long, JC; Yang, YL; Li, XW, 68(2), e17492, (2022), DOI: 10.1002/aic.17492

Ternary fluid lattice Boltzmann simulation of dynamic interfacial tension induced by mixing inside microdroplets, Wang, H; Wang, ST; Wang, YJ; Fu, YH; Cheng, Y, 68(3), e17519, (2022), DOI: 10.1002/aic.17519

Agitation of yield stress fluids by gas injection, Hojeij, A; Jossic, L; Sechet, P; Magnin, A; Hattou, S, 68(4), e17562, (2022), DOI: 10.1002/aic.17562

Mixing characteristics for the single and air-water two-phase flows in miniaturized parallel multichannel-based devices, Mondal, S; Majumder, SK, 68(4), e17594, (2022), DOI: 10.1002/aic.17594

Infrared temperature measurements and DEM simulations of heat transfer in a bladed mixer, Hartmanshenn, C; Chaksmithanont, P; Leung, C; Ghare, DV; Chakraborty, N; Patel, S; Halota, M; Khinast, JG; Papageorgiou, CD; Mitchell, C; Quon, JL; Glasser, BJ, 68(7), e17636, (2022), DOI: 10.1002/aic.17636

Predicting the diameters of droplets produced in turbulent liquid-liquid dispersion, Thomas, JA; DeVincenzo, B; Wutz, J; Ricci, F, 68(7), e17667, (2022), DOI: 10.1002/aic.17667

Study of hydrodynamics and flow characteristics in a twin-blade planetary mixer with non-Newtonian fluids, Long, JC; Zhan, XB; Guo, F; Sun, ZB; Shen, BJ; He, Y; Li, XW, 68(10), e17797, (2022), DOI: 10.1002/aic.17797

A consecutive-competitive reaction system for assessing homogeneous and heterogeneous liquid-liquid mixing efficiency, Zhang, YD; Wang, ZX; Zhang, LL; Sun, BC; Chu, GW; Chen, JF, 68(11), e17824, (2022), DOI: 10.1002/aic.17824

Two antagonistic effects of flow/mixing on reactive polymer blending, Ji, WY; Li, TT; Cheng, SB; Feng, LF; Gu, XP; Zhang, CL; Hu, GH, 68(11), e17835, (2022), DOI: 10.1002/aic.17835

Study of trailing vortices and impeller jet instabilities of a flat blade impeller in small-scale reactors, Charalambidou, AD; Micheletti, M; Ducci, A, 69(2), e17842, (2023), DOI: 10.1002/aic.17842

The effect of axial impeller geometry on the link between power and flow numbers, John, TP; Fonte, CP; Kowalski, A; Rodgers, TL, 69(3), e17871, (2023), DOI: 10.1002/aic.17871

Non-invasive mixing time estimation in unbaffled stirred tank: An ultrasonic approach, Mukherjee, D; Sen, N; Singh, KK; Saha, S; Mayya, A; Shenoy, KT, 69(3), e17966, (2023), DOI: 10.1002/aic.17966

Investigation of the temporal and spatial flow features within the high-shear mixer by modal decomposition techniques, Zhao, SC; Li, W; Zhang, JL, 69(3), e17967, (2023), DOI: 10.1002/aic.17967

Magneto-hydrodynamic mixing: A new technique for preparing carbomer hydrogels, Houlleberghs, M; Verheyden, L; Voorspoels, F; Chandran, CV; Duerinckx, K; Radhakrishnan, S; Martens, JA; Breynaert, E, 69(2), (2023), DOI: 10.1002/aic.17911

Liquid-liquid heterogeneous mixing efficiency in a rotating packed bed reactor, Zhang, YD; Zhang, LL; Wang, ZX; Sun, BC; Chu, GW; Chen, JF, 69(6), (2023), DOI: 10.1002/aic.18000

Chirality enhanced shear-free mixing of highly viscous fluids in an origami reactor, Guo, PF; Tao, SY, 69(6), (2023), DOI: 10.1002/aic.18002

Canadian Journal of Chemical Engineering Vol. 100 (2022), Vol. 101 (2023)

Mathematical modelling of hydrothermal performance for Kenics type static mixer using power law obeying fluids, Mukherjee, J; Pandit, AB, 100(1), 170-186(2022), DOI: 10.1002/cjce.24067

Particle image velocimetry (PIV) experimental investigation of flow structures and dynamics produced by a centripetal turbine, Jin, J; Fan, Y, 100(1), 187-201(2022), DOI: 10.1002/cjce.24065

Chaotic characterization of macromixing effect in a gas-liquid stirring system using modified 0-1 test, Zhang, L; Yang, K; Li, M; Xiao, QT; Wang, H, 100(2), 261-275(2022), DOI: 10.1002/cjce.24100

Emulsion polymerization of vinylidene fluoride: Effects of mixing and reaction conditions on the initial rate of polymerization, Ecoscia, ACM; Sheibat-Othman, N; McKenna, TFL, 100(4), 654-665(2022), DOI: 10.1002/cjce.24145

Experimental study of mixing performance with the tridimensional rotational flow sieve tray under low Reynolds number, Yang, K; Tang, M; Wang, DW; Liu, Y; Wang, HK; Zhang, YR; Zhang, SF; Nie, L, 100(5), 1079-1090(2022), DOI: 10.1002/cjce.24215

Large blade impeller application for turbulent liquid-liquid and solid-liquid mixing, Montante, G; Maluta, F; Alberini, F; Iwasawa, S; Takenaka, K; Paglianti, A, 100(9), 2230-2244 (2022), DOI: 10.1002/cjce.24483

Computational modelling of mixing tanks for bioprocesses: Developing a comprehensive workflow, Sadino-Riquelme, MC; Rivas, J; Jeison, D; Donoso-Bravo, A; Hayes, RE, 100(11), 3210-3226(2022), DOI: 10.1002/cjce.24220

Validation of a procedure for the numerical simulations of gas-liquid stirred tanks by means of a computational fluid dynamics approach, Maluta, F; Alberini, F; Montante, G; Paglianti, A, 100(12), 3472-3485(2022), DOI: 10.1002/cjce.24548

Single and two-phase flows in a horizontal pipe with a Kenics static mixer: Effect of pressure drop on mixing, Hosni, M; Hammoudi, M; Si-Ahmed, EK; Legrand, J; Douib, L, 101(2), 828-844(2023), DOI: 10.1002/cjce.24402

Investigation of mixing performance in a semi-active T-micromixer actuated by magnetic nanoparticles: Characterization via Villermaux-Dushman reaction, Azimi, N; Rahimi, M; Hosseini, F; Jafari, O, 101(2), 1055-1067(2023), DOI: 10.1002/cjce.24377

Performance characteristics of an axial-flow gas induction impeller, Hoffman, SM; Janz, EE; Myers, KJ; Brown, NA, 101(3), 1371-1386(2023), DOI: 10.1002/cjce.24556

An integrated CFD methodology for tracking fluid interfaces and solid distributions in a vortexing stirred tank, Pukkella, AK; Subramanian, S, 101(4), 1854-1873(2023), DOI: 10.1002/cjce.24645

Power consumption in a moving baffle oscillatory baffled reactor: A CFD study, Mortazavi, H; Pakzad, L, 101(5), 2878-2895(2023), DOI: 10.1002/cjce.24672

Effect of operating factors on liquid-liquid mass transfer and dispersion pattern of sedimentary liquid in a mechanically stirred vessel, Sunami, K; Horiuchi, S; Nishimura, N; Uddin, MA; Kato, Y, 101(6), 3479-3489(2023), DOI: 10.1002/cjce.24706

Chemical Engineering Communications Vol. 209 (2022), Vol. 210 (2023)

Comparison of mixing performance between stationary-baffle and moving-baffle batch oscillatory baffled columns via numerical modeling, Sutherland, K; Pakzad, L; Fatehi, P, 209(1), 17-46(2022), DOI: 10.1080/00986445.2020.1823841

Influence of the hydrodynamics and the reaction-rate formulation in modeling infinitely fast irreversible reactions in a turbulent un-baffled chemical reactor, Saikali, E; Bois, G; Rodio, MG; Bieder, U; Bertrand, M; Leterrier, N; Dolias, Y, 209(3), 291-321(2022), DOI: 10.1080/00986445.2020.1864627

Modulation of secondary flows in curved serpentine micromixers, Qamareen, A; Ansari, MA; Alam, SS; Alazzam, A, 209(5), 648-667 (2022), DOI: 10.1080/00986445.2021.1887153

Experimental and modeling based dead-volume detection for externally stirred tanks, Tarcsay, BL; Bobek-Nagy, J; Egedy, A, 209(6), 1-15(2022), DOI: 10.1080/00986445.2021.1903449

CFD modeling of the turbulent dispersion of liquid droplets in a vessel using a correlation based on local droplet size distribution, Chen, LM; Li, YB; Chen, BB; Wang, PF; Zheng, SL; Zhang, W, 209(11), 1496-1511(2022), DOI: 10.1080/00986445.2021.1978074

Hydrodynamics of wall-bounded turbulent flows through screens: a numerical study, Abou-Hwejj, W; Azizi, F, 210(8), 1305-1327(2023), DOI: 10.1080/00986445.2022.2084391

An experimental approach to investigate the viscoelastic and rheological behavior of polydisperse glass suspensions, Haghgoo, M, 210(10), 1631-1641(2023), DOI: 10.1080/00986445.2022.2095266

Chemical Engineering Journal Vol. 429-448 (2022), 451-452 (2023)

Advanced DEM simulation on powder mixing for ellipsoidal particles in an industrial mixer, Mori, Y; Sakai, M, 429, 132415 (2022), Comparison and estimation on deagglomeration performance of batch high shear mixers for nanoparticle suspensions, Liu, YD; Guo, JH; Li, WP; Yang, XH; Li, W; Zhou, ML; Zhang, JL, 429, 132420(2022), DOI: .1016/j.cej.2021.132420

A fast microfluidic mixer enabling rapid preparation of homogeneous PEG and bicelle media for RDC in NMR analysis, Li, ZY; Xiong, Y; Li, SL; Zhu, J; Hu, R; Li, Y; Yang, YH; Liu, ML, 431, 133817(2022), DOI: .1016/j.cej.2021.133817

Kinetic parameter estimation with nonlinear mixed-effects models, Krumpolc, T; Trahan, DW; Hickman, DA; Biegler, LT, 444, 136319(2022), DOI: .1016/j.cej.2022.136319

Experimental investigation of two-phase flow regimes in rectangular micro-channel with two mixer types, Shin, HC; Kim, SM, 448, 137581(2022), DOI: .1016/j.cej.2022.137581

Residence time distribution and micromixing efficiency of a dynamic inline rotor-stator mixer, Dolshanskiy, W; Stepanyuk, A; Arian, E; Pauer, W, 451, 138555 (2023), DOI: .1016/j.cej.2022.138555

Suspension of high concentration solids in a pilot scale jet-flow high shear mixer, Liu, YD; Zhang, YX; Guo, JH; Li, W; Zhou, ML; Zhang, JL, 451, 138567(2023), DOI: .1016/j.cej.2022.138567

Incorporative mixing in microreactors: Influence on reactions and importance of inlet designation, Asano, S; Maki, T; Inoue, S; Sogo, S; Furuta, M; Watanabe, S; Muranaka, Y; Kudo, S; Hayashi, J; Mae, K, 451, 138942(2023), DOI: .1016/j.cej.2022.138942

Effects of stator and rotor geometry on inline high shear mixers: Residence time distribution, flow, and energy consumption, Guo, JH; Liu, YD; Zhao, SC; Li, HJ; Li, W; Xia, JK; Wu, JJX; Zhang, JL, 452, 139235(2023), DOI: .1016/j.cej.2022.139235

Chemical Engineering and Processing: Process Intensification Vol. 170-182 (2022), 183 (2023)

Striation Thickness Distribution in Split-and-Recombine Mixers in the Stokes Regime, Brito, MSCA; Santos, RJ; Dias, MM; Lopes, JCB; Fonte, CP, 170(2022), DOI: 10.1016/j.cep.2021.108714

Increasing biodiesel production yield in narrow channel tubular reactors, Baydir, E; Aras, O, 170(2022), DOI: 10.1016/j.cep.2021.108719

Investigation of efficient mixing enhancement in planar micromixers with short mixing length, Yuan, S; Jiang, BY; Peng, T; Zhou, MY; Drummer, D, 171(2022), DOI: 10.1016/j.cep.2021.108747

Analysis of different shapes of cross-sections and obstacles in variable-radius spiral micromixers on mixing efficiency, Jiang, Y; Zhang, B; Tian, Y; Zhang, Y; Chen, YF, 171(2022), DOI: 10.1016/j.cep.2021.108756

Simulation and selection of static mixer, the core equipment of middle-low temperature coal tar pretreatment, based on the computational fluid dynamics, Wang, YJ; Li, D; Zhu, YH; Liu, JP; Chen, HY; Guo, Q; Du, CP; Miao, ZP; Cui, LW; Tian, F; Liu, J; Zheng, HA, 173(2022), DOI: 10.1016/j.cep.2022.108816

Investigation of power consumption, torque fluctuation, and local gas hold-up in coaxial mixers containing a shear-thinning fluid: Experimental and numerical approaches, Rahimzadeh, A; Ein-Mozaffari, F; Lohi, A, 177(2022), DOI: 10.1016/j.cep.2022.108983

Effects of cylinder cross-sectional geometry and blockage ratio on VIV-based mixing performance in two dimensional laminar channel flow, Hasheminejad, SM; Fallahi, R, 177(2022), DOI: 10.1016/j.cep.2022.108987

A comparative analysis of micro-mixing process in a confined impinging jet reactor with/without applying ultrasound, Chen, LM; Zeng, HW; Guo, YQ; Yang, XG; Chen, BB, 177(2022), DOI: 10.1016/j.cep.2022.108991

Mixing intensification through modifications of PBT impellers studied by DEM-VOF method, Li, B; Wang, JT, 177(2022), DOI: 10.1016/j.cep.2022.109001

Numerical evaluation of an additively manufactured uniform fractal flow mixer, Priyambodo, MDM; Mazur, M; Patel, J; Shah, M; Sun, B; Pareek, V; Brandt, M; Webley, PA; Bhatelia, T, 179(2022), DOI: 10.1016/j.cep.2022.109047

Numerical analysis of modified micromixers with staggered E-shape mixing units, Chen, SL; Hao, M; Shang, JY; Jiang, Y; Xie, YH; Ba, YS; Liu, K, 179(2022), DOI: 10.1016/j.cep.2022.109087

Effect of stator geometries on flow fields and mixing performance for viscous fluids, Vashisth, V; Kumar, V, 180(2022), DOI: 10.1016/j.cep.2021.108595

Mixing intensification with soft-elastic baffle (SEB) in a soft-elastic reactor (SER), Liu, MH; Zhang, GD; Xiao, J; Jeantet, R; Delaplace, G; Wang, Y; Dong, ZZ; Chen, XD, 180(2022), DOI: 10.1016/j.cep.2021.108764

Intensification of liquid mixing and local turbulence using a fractal injector with staggered conformation, Jiang, SX; Coppens, MO; Wang, JJ, 180(2022), DOI: 10.1016/j.cep.2022.109042

Investigation of micromixing in the ART plate reactor PR37 using the acetal cleavage method and different mixing models, Rave, A; Schaare, L; Fieg, G, 181(2022), DOI: 10.1016/j.cep.2022.109134

High throughput millifluidics mixer with double triangle baffle for improvement of mixing performance and reduction of flow resistance designed by grey relational analysis, Zhao, SF; Wei, YM; Yu, PJ; Nie, YY; Hu, RZ; He, W; Zhu, N; Li, YG; Ji, D; Guo, K, 181(2022), DOI: 10.1016/j.cep.2022.109166

Micromixing performance of a miniaturized annular rotating flow mixer (MARFM), Chen, QC; Wang, YB; Du, CC; Deng, J; Luo, GS, 182(2022), DOI: 10.1016/j.cep.2022.109181

A novel Static Mixer for photochemical reactions, Albertazzi, J; Florit, F; Busini, V; Rota, R, 182(2022), DOI: 10.1016/j.cep.2022.109201

Vortex-induced vibration effects on mixing performance, Far, Z; Hekmat, MH; Izadpanah, E, 182(2022), DOI: 10.1016/j.cep.2022.109211

Intensification of mixing in an ultrasonic flow reactor, Ahoure, L; Bulliard-Sauret, O; Andre, C; Berggraser, J; Gaudeau, M; Bahrani, SA, 183(2023), DOI: 10.1016/j.cep.2022.109212

Chemical Engineering Science Vol. 247-264 (2022), 266-267 (2023)

Improvement in mixing efficiency of microfluidic passive mixers functionalized by microstructures created with proton beam lithography, Nady, E; Nagy, G; Huszank, R, 247, 117006 (2022), DOI: 10.1016/j.ces.2021.117006

Nanoparticle de-agglomeration in viscous fluids using different high shear mixer geometries, Vashisth, V; Nigam, KDP; Kumar, V, 248, 117132 (2022), DOI: 10.1016/j.ces.2021.117132

Mixing characteristics and energy conversion in the coalescence process of the two droplets, Luo, XM; Xu, K; Li, WR; Huang, X; He, LM, 248, 117153 (2022), DOI: 10.1016/j.ces.2021.117153

Two-dimensional shear rate field and flow structures of a pseudoplastic fluid in a stirred tank using particle image velocimetry, Ayala, JS; de Moura, HL; Amaral, RD; Oliveira, FD; Nunhez, JR; de Castilho, GJ, 248, 117198 (2022), DOI: 10.1016/j.ces.2021.117198

Lagrangian stochastic modelling of liquid flow in a mechanically agitated vessel, Sheikh, HA; Savari, C; Barigou, M, 249, 117318 (2022), DOI: 10.1016/j.ces.2021.117318

Enhancement of mixing efficiency in mechanical stirring reactors via chaotic stirring techniques: Application to the treatment of zinc-containing solid waste, Fan, YW; Li, CL; Wang, SB; Wang, H; Wei, YG; Xu, JX; Xiao, QT, 249, 117367 (2022), DOI: 10.1016/j.ces.2021.117367

Evaluation of hydraulic mixing performance in a full-scale anaerobic digester with an external liquid recirculation system using CFD and experimental validation, Arnau, R; Climent, J; Martinez-Cuenca, R; Rodriguez, J; Chiva, S, 251, 117392 (2022), DOI: 10.1016/j.ces.2021.117392

Studying dispersed phase holdup in a pilot plant agitated liquid-liquid mixer by developing online expanded laser beam based technique, Abid, KH; Mendil, J; Al-Dahhan, MH, 251, 117461 (2022), DOI: 10.1016/j.ces.2022.117461

Engineering characterization of the novel Bach impeller for bioprocessing applications requiring low power inputs, Wyrobnik, TA; Oh, S; Ducci, A; Micheletti, M, 252, 117263 (2022), DOI: 10.1016/j.ces.2021.117263

Computation of Lagrangian coherent structures from experimental fluid trajectory measurements in a mechanically agitated vessel, Li, K; Savari, C; Barigou, M, 254, 117598 (2022), DOI: 10.1016/j.ces.2022.117598

Characterization of a small-scale crystallizer using CFD simulations and X-ray CT measurements, Achermann, R; Adams, R; Prasser, HM; Mazzotti, M, 256, 117697 (2022), DOI: 10.1016/j.ces.2022.117697

Effective mixing of dissimilar fluids in asymmetric Confined Impinging Jets mixers, Brito, MSCA; Barbosa, ISO; Fonte, CP; Dias, MM; Lopes, JCB; Santos, RJ, 258, 117756 (2022), DOI: 10.1016/j.ces.2022.117756

Experimental analysis of mixing-processes in biogas plants, Annas, S; Elfering, M; Jantzen, HA; Scholz, J, 258, 117767 (2022), DOI: 10.1016/j.ces.2022.117767

PIV experiments and CFD simulations of liquid-liquid mixing in a planetary centrifugal mixer (PCM), Shen, BJ; Zhan, XB; Sun, ZB; He, Y; Long, JC; Li, XW, 259, 117764 (2022), DOI: 10.1016/j.ces.2022.117764

A novel ANN-CFD model for simulating flow in a vortex mixer, Sarkar, S; Singh, KK; Kumar, KS; Sreekumar, G; Shenoy, KT, 260, 117819 (2022), DOI: 10.1016/j.ces.2022.117819

Potentialities and limitations of machine learning to solve cut-and-shuffle mixing problems: A case study, Lynn, TF; Ottino, JM; Lueptow, RM; Umbanhowar, PB, 260, 117840 (2022), DOI: 10.1016/j.ces.2022.117840

Multiscale wavelet analysis of 3D Lagrangian trajectories in a mechanically agitated vessel, Savari, C; Li, K; Barigou, M, 260, 117844 (2022), DOI: 10.1016/j.ces.2022.117844

Effect of homogenisation on fat droplets and viscosity of aged ice cream mixes, Cruz, C; Fonte, CP; De Simone, A; Oppong, FK; Jeatt, W; Rodgers, TL, 260, 117857 (2022), DOI: 10.1016/j.ces.2022.117857

CFD-DEM characterization and population balance modelling of a dispersive mixing process, Frungieri, G; Boccardo, G; Buffo, A; Karimi-Varzaneh, HA; Vanni, M, 260, 117859 (2022), DOI: 10.1016/j.ces.2022.117859

Improved mixing of viscoelastic fluids by the use of hysteresis effect, Cao, C; Kraume, M, 260, 117878 (2022), DOI: 10.1016/j.ces.2022.117878

Numerical investigation of bio-inspired mixing enhancement for enzymatic hydrolysis, Zhu, T; Xia, A; Lin, K; Huang, Y; Zhu, XQ; Zhu, X; Liao, Q, 260, 117950 (2022), DOI: 10.1016/j.ces.2022.117950

Numerical and experimental analysis of effective passive mixing via a 3D serpentine channel, Hong, H; Yeom, E, 261, 117972 (2022), DOI: 10.1016/j.ces.2022.117972

Coherent structures and mixing enhancement in a confined impinging-jet mixer, Jin, LN; Cao, YH, 262, 118014 (2022), DOI: 10.1016/j.ces.2022.118014

Fluid flow simulation on a Turritella-seashell-like geometry demonstrating its ability as static mixer for inline mixing, Pujari, AR; Kumar, S; Sow, PK, 262, 118031 (2022), DOI: 10.1016/j.ces.2022.118031

Detecting mixing barriers in Twin-Screw extruder elements via Lagrangian Coherent Structures, Bauer, H; Khinast, J, 263, 118069 (2022), DOI: 10.1016/j.ces.2022.118069

Enhancement of thermal mixing under supercritical condition by increasing shear rate, Pei, BB; Li, FB; Zhao, KP; Zhao, L; Bai, BF, 263, 118079 (2022), DOI: 10.1016/j.ces.2022.118079

Evaluation and application of efficient CFD-based methods for the multi-objective optimization of stirred tanks, Wu, M; Jurtz, N; Walle, A; Kraume, M, 263, 118109 (2022), DOI: 10.1016/j.ces.2022.118109

Vertical chaotic mixing of oscillating feedback micromixer in passive mode, Wang, WS; Li, MX; Xu, C, 263, 118127 (2022), DOI: 10.1016/j.ces.2022.118127

Numerical study of bubble induced mixing in stratified fluids, Ganesh, M; Dabiri, S, 264, 118135 (2022), DOI: 10.1016/j.ces.2022.118135

Near-wall resolution and wall modeling for lattice Boltzmann simulations of mechanically agitated vessels, Flamm, MH; Kalal, Z, 264, 118172 (2022), DOI: 10.1016/j.ces.2022.118172

Blending and cavern formation within non-Newtonian fluids in stirred tanks: Application to nuclear waste fluid processing, Noble, S; Poirier, M; Thomas, J, 266, 118184 (2023), DOI: 10.1016/j.ces.2022.118184

Impingement and mixing between two shear-thinning droplets on the solid surface, Li, ZQ; Yi, GA; Cai, ZQ; Gao, ZM, 266, 118293 (2023), DOI: 10.1016/j.ces.2022.118293

Gas-liquid flow pattern identification and bubble characteristics analysis in a static mixer based HiPOxTM reactor, Xu, YX; Wang, L; Wang, YJ; Qian, YY; Wang, HL; Xu, YJ; Yang, XJ, 267, 118269 (2023), DOI: 10.1016/j.ces.2022.118269

Characterisation of particle stress in turbulent impeller flows utilising photo-optical measurements of a flocculation system-PART 1, Panckow, RP; Bliatsiou, C; Nolte, L; Bohm, L; Maass, S; Kraume, M, 267, 118333 (2023), DOI: 10.1016/j.ces.2022.118333

Chemical Engineering & Technology Vol. 45 (2022)

Laminar Fluid Mixing in Micromixers: Description of Pull-Push Effects, Haghhighinia, Arash; Movahedirad, Salman; Azad, Babak Kamali Doust, 45(1), 67-72(2022), DOI: 10.1002/ceat.202100193

Experimental and Numerical Investigation of a Novel Spiral Micromixer with Sinusoidal Channel Walls, Bahrami, Dariush; Bayareh, Morteza, 45(1), 100-109(2022), DOI: 10.1002/ceat.202100368

Synergistic Effects in Coaxial Mixers: The Controlling Strategy of the Flow and Shear, Huang, Juan; Zhang, Botao; Dai, Gance; Chen, Chen; Yu, Haiyan; Tian, Huaixiang, 45(2), 210-219(2022), DOI: 10.1002/ceat.202100395

Flow Regimes and Mixing of Dissimilar Fluids in T-Jets Mixers, Brito, Margarida S. C. A.; Fonte, Claudio P.; Dias, Madalena M.; Lopes, Jose Carlos B.; Santos, Ricardo J., 45(2), 355-364(2022), DOI: 10.1002/ceat.202100536

Onset of Flow Reversal in a Vertical T-channel: Bingham Fluids, Maurya, Anamika; Tiwari, Naveen; Chhabra, R. P., 45(3), 425-431(2022), DOI: 10.1002/ceat.202100393

Comparative Study of Two Identical Industrial Digesters Using Radiotracer-Based Residence Time Distribution Measurement, Sheoran, Meenakshi; Chandra, Avinash; Gautam, Arvind Kumar; Arya, Raj Kumar; Bhunia, Haripada; Pant, Harish J., 45(3), 479-488 (2022), DOI: 10.1002/ceat.202100429

Evolution and Dynamics of the Coherent Vortices in Contraction and Premix Coaxial Jets, Ba, Zhongren; Hao, Zhenhua; Li, Junguo; Yang, Xin; Li, Jiazhou; Zhao, Jiantao; Fang, Yitian, 45(4), 601-609(2022), DOI: 10.1002/ceat.202100422

Optimization of an Oscillatory Flow Crystallizer Based on Heat Transfer and Supersaturation Distribution, Lian, Shi-jun; Sun, Ming-qing; Li, Qi-fan; Lan, Zhong, 45(4), 745-754(2022), DOI: 10.1002/ceat.202100485

Gas-Liquid Flow Patterns in a Rectangular Milli-Structured Channel with Static Mixing Elements, Denker, Jan-Niklas; Herbstritt, Frank; Heck, Joachim; Gruenewald, Marcus; Biessey, Philip, 45(4), 762-767(2022), DOI: 10.1002/ceat.202100355

Flow Patterns of Multiple Axial-Radial Impellers for Potential Use in Aerated Stirred Tanks, Posadas-Navarro, David; Palacios, Carlos; Blancas-Cabrera, Abel; Trujillo-Roldan, Mauricio A.; Salinas-Vazquez, Martin; Ascanio, Gabriel, 45(5), 860-867(2022), DOI: 10.1002/ceat.202100521

Mixing Characteristics for Scale-up of an Orbital Shaken Bioreactor, Lee, Hyunwoo; Lee, Joon-Chul; Seo, Youngjin, 45(5), 946-952(2022), DOI: 10.1002/ceat.202100510

X-Ray-Based Tomographic Imaging for the Investigation of Laminar Mixing in Capillaries, Schuler, Julia; Herath, Jakob; Kockmann, Norbert, 45(7), 1247-1254(2022), DOI: 10.1002/ceat.202100530

Enhanced Fluid Mixing Using a Reversed Multistage Tesla Micromixer, Buglie, William L. N.; Tamrin, Khairul Fikri; Sheikh, Nadeem Ahmed; Yasin, Mohd Fairus Mohd; Mohamaddan, Shahrol, 45(7), 1255-1263(2022), DOI: 10.1002/ceat.202200055

T-Joint Micromixer Coupled with Deforming Diaphragm, Madapati, Nikhilesh; Arumuru, Venugopal, 45(9), 1528-1537(2022), DOI: 10.1002/ceat.202200036

Correlating Mass Transfer Coefficients of O-2 and N-2 in Methanol in a Stirred-Tank Reactor, Qi, Miao; Dong, Haifeng; Meng, Xianglei; Liu, Guiyang; Diao, Yanyan, 45(9), 1666-1674(2022), DOI: 10.1002/ceat.202100631

Chinese Journal of Chemical Engineering Vol. 41-52 (2022)

Reaction kinetics determination based on microfluidic technology, Yan, ZF; Tian, JX; Du, CC; Deng, J; Luo, GS, 41, 49-72(2022) DOI: 10.1016/j.cjche.2021.08.023

Isolated mixing regions and mixing enhancement in a high-viscosity laminar stirred tank, Kang, QQ; Liu, JF; Feng, X; Yang, C; Wang, JT, 41, 176-192(2022) DOI: 10.1016/j.cjche.2021.11.008

Electrokinetic mixing of two fluids with equivalent conductivity, Yang, F; Zhao, W; Wang, GR, 42, 256-260(2022) DOI: 10.1016/j.cjche.2021.03.032

Effect of impeller type and scale-up on spatial distribution of shear rate in a stirred tank, Wang, HN; Duan, XX; Feng, X; Mao, ZS; Yang, C, 42, 351-363(2022) DOI: 10.1016/j.cjche.2021.03.004

Numerical simulation of local and global mixing/segregation characteristics in a gas-solid fluidized bed, Wan, Z; Lu, YJ, 44, 72-86(2022) DOI: 10.1016/j.cjche.2021.03.034

Effect of pitched short blades on the flow characteristics in a stirred tank with long-short blades impeller, Wu, YJ; You, P; Luo, PC, 45, 143-152(2022) DOI: 10.1016/j.cjche.2021.11.010

Study on the solid-liquid suspension behavior in a tank stirred by the long-short blades impeller, Chen, ZW; Wu, YJ; Wang, J; Luo, PC, 47, 79-88(2022) DOI: 10.1016/j.cjche.2021.06.009

A numerical study of mixing intensification for highly viscous fluids in multistage rotor-stator mixers, Chen, LY; Guo, JH; Li, WP; Zhao, SC; Li, W; Zhang, JL, 47, 218-230(2022) DOI: 10.1016/j.cjche.2021.08.012

CFD simulation of flow and mixing characteristics in a stirred tank agitated by improved disc turbines, Jia, ZT; Xu, LL; Duan, XX; Mao, ZS; Zhang, QH; Yang, C, 50, 95-107(2022) DOI: 10.1016/j.cjche.2022.05.017

Effect of swirling addition on the liquid mixing performance in a T-jets mixer, Li, CH; Wu, B; Zhang, JJ; Luo, PC, 50, 108-116(2022) DOI: 10.1016/j.cjche.2022.07.008

Numerical simulation of flow field and residence time of nanoparticles in a 1000-ton industrial multi-jet combustion reactor, Ju, J; Duan, XJ; Sarkodie, B; Hu, YJ; Jiang, H; Li, CZ, 51, 86-99(2022) DOI: 10.1016/j.cjche.2021.12.008

Analysis of the flow pattern and periodicity of gas-liquid-liquid three-phase flow in a countercurrent mixer-settler, Zhang, MH; Cai, WF; Zhu, P; Xie, L; Wang, Y, 51, 135-145(2022) DOI: 10.1016/j.cjche.2021.10.001

Impingement and mixing dynamics of micro-droplets on a solid surface, Yi, GN; Cai, ZQ; Gao, ZM; Derksen, JJ, 52, 66-77(2022) DOI: 10.1016/j.cjche.2021.11.001

Industrial & Engineering Chemistry Research Vol. 61 (2022), 62 (2023)

Modeling Droplet Breakage in Continuous Emulsification Using Static Mixers in the Framework of the Entire Spectrum of Turbulent Energy, Lebaz, N; Azizi, F; Sheibat-Othman, N, 61(1), 541-553 (2022), DOI: 10.1021/acs.iecr.1c03529

Numerical Investigation of Particle Suspensions in a Liquid-Solid Stirred Tank with Baffles, Wang, ZJ; Zhao, YL; Yao, J, 61(1), 914-930 (2022), DOI: 10.1021/acs.iecr.1c03687

Friction Factor Distribution at the Side Wall of a Turbulent Agitated Vessel with Baffles Using a MAXBLEND Impeller, Ochi, Y; Takenaka, K; Komoda, Y; Ohmura, N, 61(3), 1514-1522 (2022), DOI: 10.1021/acs.iecr.1c04229

New Insights into the Gas Dispersion and Mass Transfer in Shear-Thinning Fluids Inside an Aerated Coaxial Mixer via Analysis of Flow Hydrodynamics and Shear Environment, Rahimzadeh, A; Ein-Mozaffari, F; Lohi, A, 61(10), 3713-3728 (2022), DOI: 10.1021/acs.iecr.1c04586

Novel Rotor-Stator Assembly Promotes the Emulsification Performance in an Inline High-Shear Mixer, Li, XY; Zhao, SC; Guo, JH; Li, W; Zhang, JL, 61(13), 4722-4737 (2022), DOI: 10.1021/acs.iecr.1c04972

DEM Study of the Effect of Impeller Design on Mixing Performance in a Vertical Mixer, Lu, XF; Dai, B; Yang, SL, 61(23), 8112-8127 (2022), DOI: 10.1021/acs.iecr.2c00455

Experimental and Numerical Investigation on the Scaling-Up of Microsieve Dispersion Mixers, Chen, QC; Wang, YB; Wang, K; Deng, J; Luo, GS, 61(36), 13383-13396 (2022), DOI: 10.1021/acs.iecr.2c02190

Internal Optimization for Enhancing the Microbubble Dispersion Characteristics of a Stirred Tank, Li, XY; Duan, YG; Wang, HL; Cheng, JC; Yang, C, 61(45), 16815-16822 (2022), DOI: 10.1021/acs.iecr.2c02599

Effect of Chamber Depth Modifications on Flow Regimes and Mixing Performance in Cross-Shaped Mixers, Zhang, W; Yao, F; Li, WF; Liu, HF; Wang, FC, 61(47), 17351-17365 (2022), DOI: 10.1021/acs.iecr.2c02573

Shaft Power Consumption of Stirred Tank with Particles: From the Perspective of Pseudoshearing Thinning Rheological Property of Particles, Bao, YY; Liu, JJ; Yang, H; Cai, ZQ; Gao, ZM, 61(47), 17366-17378 (2022), DOI: 10.1021/acs.iecr.2c02812

Bubble Morphology Analysis and Pressure Drop of Gas-Liquid Two-Phase Flow inside a Quarto Static Mixer, Yu, YF; Yang, P; Meng, HB; Liu, HC; Zhang, JW; Yu, HL, 61(50), 18574-18587 (2022), DOI: 10.1021/acs.iecr.2c03917

Effect of Modified Impellers with Added Leading Edges Flanges on Pumping Efficiency in Agitated Tanks, Mendoza-Escamilla, VX; Rivadeneyra-Romero, G; Mollinedo, H; Yanez-Varela, JA; Gonzalez-Neria, I; Alonzo-Garcia, A; Martinez-Delgadillo, SA, 62(1), 535-544 (2023), DOI: 10.1021/acs.iecr.2c03321

Korean Journal of Chemical Engineering Vol. 39 (2022)

Effect of non-uniform magnetic field on mixing index of a sinusoidal micromixer, Bahrami, D; Nadooshan, AA; Bayareh, M, 39 (2) , 316-327, (2022), DOI:10.1007/s11814-021-0932-z

Effect of baffle configuration on performance of batch stirred vessel, Ali, BA; Falleiro, LH, 39 (5) , 1146-1157, (2022), DOI:10.1007/s11814-021-1008-9

Investigation on flow characteristic and reaction process inside an EVA autoclave reactor using CFD modeling combined with polymerization kinetics, Wang, YD; Liu, C; Wang, S; Dong, H, 39 (6), 1384-1395, (2022), DOI:10.1007/s11814-022-1075-6

CFD prediction of mixing performance for circular and non-circular jet mixing tanks, Namkanisorn, A; Wattananusorn, S; Sakdasri, W; Bumrungthaichaichan, E, 39 (6), 1424-1435, (2022), DOI:10.1007/s11814-021-1051-6

Fluid dynamics, velocity profile and average cycle time in different configurations of the modified mechanically stirred spouted bed, Barros, JPAD; Freire, FB; Freire, JT, 39 (11), 2896-2906, (2022), DOI:10.1007/s11814-022-1225-x

Hydrodynamics of gas-liquid and biophase-gas-liquid systems in stirred tanks of different scales, Cudak, M; Rakoczy, R, 39 (11), 2959-2971, (2022), DOI:10.1007/s11814-022-1281-2

Journal of Chemical Engineering of Japan Vol. 55 (2022)

Drawdown of Floating Solid in Mixing Vessel with Inside Baffle, Furukawa,H., Mabuchi, Y., Kato, Y., 55(2), 92-96 (2022), DOI: <https://doi.org/10.1252/jcej.21we085>

Effect of Power-Law Index and Shape on the Onset of Flow Separation, Garima Mishra, Rajendra P. Chhabra, 55(3), 132-147 (2022), DOI: <https://doi.org/10.1252/jcej.20we218>

Numerical Simulation Study of the Effect of Liquid Depth on the Stability of Thermal Marangoni Convection in a Shallow Cavity, Niranjan Nayanajith, Weerakoon Rathnayake, Radeesha Lekhnath, Agampodi Mendis, Yasunori Okano, Sadik Dost, 55(11), 337-343 (2022), DOI: <https://doi.org/10.1252/jcej.22we047>

化学工学論文集 Vol. 48 (2022)

乱流搅拌槽の固液分散における浮遊限界回転数の一考察, 亀井 登, 平岡 節郎, 古川 陽輝, 加藤 穎人, 48(1), 1-6 (2022), DOI: <https://doi.org/10.1252/kakorobunshu.48.1>

2段縦型搅拌槽における交換流量, 大平 勇一, 島田 祐樹, 佐野 航, 島津 昌光, 48(3), 71-75 (2022), DOI: <https://doi.org/10.1252/kakorobunshu.48.71>

大型翼を用いた塑性流体の混合, 大田 敏彦, 高倉 逸仁, 中丸 真吾, 古川 陽輝, 加藤 穎人, 高 承台, 48(3), 76-80 (2022), DOI: <https://doi.org/10.1252/kakorobunshu.48.76>

液液搅拌槽における最小分散回転数におよぼす邪魔板の影響, 相田 真男, 村上 裕哉, 庄野 厚, 48(4), 121-124, DOI: <https://doi.org/10.1252/kakorobunshu.48.121>